## **Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in this application:

## **Listing of Claims:**

Claim 1 (Original): A composition comprising one or more salts of tiotropium <u>1</u> and one or more pharmacologically acceptable salts of a compound of formula <u>2'</u>

HO 
$$\stackrel{\text{OH}}{\underset{\text{HN}}{\longrightarrow}}$$
  $\stackrel{\text{N}}{\underset{\text{R}^2}{\longrightarrow}}$   $\stackrel{\text{R}^1}{\underset{\text{R}^4}{\longrightarrow}}$   $\stackrel{\text{2'}}{\underset{\text{N}}{\longrightarrow}}$ 

wherein

R<sup>1</sup> and R<sup>2</sup> which may be identical or different denote hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl;

 $R^3$  and  $R^4$  which may be identical or different denote hydrogen,  $C_1$ - $C_4$ -alkyl, -O- $C_1$ - $C_4$ -alkyl, -  $C_1$ - $C_4$ -alkylene-O- $C_1$ - $C_4$ -alkyl or

R<sup>3</sup> and R<sup>4</sup> together denote one of the bridging groups

- C<sub>1</sub>-C<sub>4</sub>-alkylene- or -O-C<sub>1</sub>-C<sub>4</sub>-alkylene-O-; together with a pharmaceutically acceptable carrier.

Claim 2 (Original): The composition according to claim 1 wherein the one or more salts of tiotropium  $\underline{\mathbf{1}}$  is in the form of the chloride, bromide, iodide, methanesulphonate, paratoluene sulphonate or methyl sulphate.

Claim 3 (Original): The composition according to claim 1 wherein, for the compound of formula <u>2'</u>,

 $R^1$  and  $R^2$  which may be identical or different denote hydrogen, methyl or ethyl;

 $R^3$  and  $R^4$  which may be identical or different denote hydrogen, methyl, ethyl, propyl, butyl, methoxy, ethoxy, methyoxymethyl, or methoxyethyl, or  $R^3$  and  $R^4$  together denote one of the bridging groups

propylene, butylene, -O-ethylene-O- or -O-propylene-O-.

Claim 4 (Original): The composition according to claim 1 wherein the one or more salts of tiotropium <u>1</u> and the one or more pharmacologically acceptable salts of compound <u>2'</u> are either present together in a single preparation or are contained in two separate preparations.

Claim 5 (Previously presented): The composition according to claim 4 wherein the weight ratios of <u>1</u> to <u>2</u>? are in the range from 1:300 to 30:1.

Claim 6 (Previously presented): The composition according to claim 4 wherein a single application corresponds to a dosage of the combination of compounds  $\underline{\mathbf{1}}$  and  $\underline{\mathbf{2'}}$  of 0.01 to 10000 $\mu$ g.

Claim 7 (Original): The composition according to claim 4 that it is in the form of a formulation suitable for inhalation.

Claim 8 (Original): The composition according to claim 7 wherein the form is selected from the group consisting of inhalable powders, propellant-containing metering aerosols and propellant-free inhalable solutions or suspensions.

Claim 9 (Currently amended): The composition according to claim 8 comprising an inhalable powder which contains <u>1</u> and <u>2'</u> in admixture with suitable physiologically acceptable excipients selected from the group consisting of monosaccharides, disaccharides, oligo- and polysaccharides, polyalcohols, salts, and mixtures of these excipients.

Claim 10 (Original): The composition according to claim 9 wherein the excipient has a maximum average particle size of 250µm.

Claim 11 (Original): The composition according to claim 9 contained in a capsule.

Claim 12 (Previously presented): The composition according to claim 8 in the form of an inhalable powder consisting essentially of compounds <u>1</u> and <u>2</u>.

Claim 13 (Previously presented): The composition according to claim 8 in the form of a propellant-containing inhalable aerosol comprising compounds <u>1</u> and <u>2'</u> in dissolved or dispersed form.

Claim 14 (Original): The composition according to claim 8 in the form of a propellant-free inhalable solution or suspension comprising water, ethanol or a mixture of water and ethanol as a solvent.

Claim 15 (Previously presented): A method for treating inflammatory or obstructive diseases of the respiratory tract comprising the administration to a patient of a therapeutically effective amount of the composition according to claim 1.